

SOSLA
07.07.2019

th•mann



Invoice Nr.: 39579227

Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

Park kultúry a oddychu

DIC: 2021225272

Hlavná 50

SK-08001 Presov

Delivery address:

Park kultúry a oddychu

Hilár Saska

Hlavná 50

SK-080 01 Presov

Invoice Nr.: 39579227

Date: 28.12.2018

Your customer no.: 11961601

Order No.:

201851.672395 / 854

Sales Person:

Tomas Hartman

Telephone:

0049 9546 9223 649

Method of Shipment:

COD - UPS

Your Reference:

VAT. Nr.: SK4120015526

Please include your customer no.: 11961601 with payment by bank transfer!

Pos.	Article	Amount	Unit	Unit Price	Total Price
001.00	442987		1 piece	459,00 EUR	459,00 EUR
	Tascam CD-400U DAB; CD/SD/USB-Player with Tuner and Bluetooth Receiver; playback options: Audio CD, MP3 and WMA file playback from CD, Audio file playback from SD and USB memory (MP3, AAC, WAV, WMA), DAB+/FM radio playback, Playback via Bluetooth connection with a smartphone or computer and Playback via AUX IN connector; supports CD-DA, CD-ROM, CD-R, CD-RW (CD-DA format only); Numeric keys for direct track selection; Playback modes include Continuous, Single, Random; Repeat playback (All, Single, A-B); Incremental play; Resume function; Folder playback with SD and USB memory; Dubbing from CD or tuner to SD or USB memory (MP3 format); Power-on play (timer function); Anti-shock memory; Connections: 2x Line-Out XLR/RCA; AUX-Input 3.5 mm Mini-Jack; 2x Tuner-Out RCA (L/R), Remote control via RS-232C serial connector (D-sub 9-pin), Stereo Headphones Out 6.3 mm Jack, optional Ethernet interface card (IF-100E) available for external control over a network (Telnet protocol); LCD-Display; incl. Wireless remote control; Housing: 19" 3U; Dimensions: 483 x 47 x 296 mm (WxHxD); Weight: 3.3 kg				
002.00	372798		6 piece	137,00 EUR	822,00 EUR
	SKB R2U Roto Rack, 19" 2 U plastic rack, rack depth 44,70 cm, two recessed handles, Recessed latches, heavy duty black plastic housing, external dimensions: 609 x 569 x 157 mm, weight 4,90 Kg,				
003.00	372799		1 piece	177,00 EUR	177,00 EUR
	SKB R4U Roto Rack, 19" 4 U plastic rack, rack depth 44,70 cm, two recessed handles, 2x Recessed latches, heavy duty black plastic housing, rackrails front and back, screws included, external dimensions: 609 x 569 x 246 mm, weight 6,53 kg,				

Amount carried forward : **1.458,00 EUR**

Thomann GmbH
Hans-Thomann-Str.1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Hans Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEDE760

Es gelten unsere umseitig abgedruckten Allgemeinen Geschäftsbedingungen.



Pos.	Article	Amount	Unit	Unit Price	Total Price
004.00	370953 Gravity MS 4321 B Microphone Stand, long tripod microphone stand with Soft-Touch surface, 790 mm support arm with two point adjustment, heavy zinc die-cast basel, adjustable hight from 1030 - 1690 mm, powder Coated, weight 2,7 Kg, incl. black rings	10	piece	35,00 EUR	350,00 EUR
005.00	122462 Amphenol EP4 plug female (former Alcatel), hard metall housing, for cable diameter up to 12 mm	4	piece	18,90 EUR	75,60 EUR
006.00	122463 Amphenol EP4 plug male (former Alcatel), hard metall housing, for cable diameter up to 12 mm	4	piece	12,40 EUR	49,60 EUR
007.00	246467 K&M 14045 - adjustable steel stool (adjustable height and angle), includes a height adjustable footrest, ergonomic seat, imitation leather. Dimensions: 380 x 350mm. Height: 600-900mm. Weight: 5.6kg. Colour: Black, optional backrest available (Art. 124322)	1	piece	129,00 EUR	129,00 EUR
008.00	239213 Audio-Technica AT8468, Violin microphone holder for miniature microphones, black	3	piece	11,70 EUR	35,10 EUR
009.00	212535 Gator GM-15 TSA Touring Microphone Carry Case - TSA recessed latches & handles, heavy-duty hardware, 15 separate microphone compartments, space for accessories. Internal Dimensions 419 x 286 x 197 mm, External Dimensions: 457 x 330 x 229 mm. Weight: 2,49 kg.	2	piece	98,00 EUR	196,00 EUR
010.00	128956 Axxent LP 100 - lamp for call signalling.	1	piece	68,00 EUR	68,00 EUR
011.00	166127 Littlite 18XR - 4 LED 497149 18"/45cm, XLR connection for XLR D-4-f socket, 90°.	1	piece	68,00 EUR	68,00 EUR
012.00	182696 Neutrik NC3 MXX - professional male XLR connector with strain relief, solder contacts and cable boot, without locking window.	30	piece	2,77 EUR	83,10 EUR

Amount carried forward : **2.512,40 EUR**

Thomann GmbH
Hans-Thomann-Str.1
D-96138 Burgebrach

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Geschäftsführer: Hans Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEDB760

Es gelten unsere umseitig abgedruckten Allgemeinen Geschäftsbedingungen.



Pos.	Article	Amount	Unit	Unit Price	Total Price
013.00	182693 Neutrik NC3FXX - professional XLR female connector with strain relief. New version with improved solder contacts and cable boot.	30	piece	3,11 EUR	93,30 EUR
014.00	182707 Neutrik NP3 X - professional balanced 1/4" connector, tiny ergonomic design with strain relief boot for cables of 4-7mm outer diameter.	20	piece	3,39 EUR	67,80 EUR
015.00	182702 Neutrik NP2 X - unbalanced 1/4" jack plug with strain relief boot. Suitable for cables with 4-7mm outside diameter.	30	piece	2,77 EUR	83,10 EUR
016.00	424506 IK Multimedia iRig Pre HD; microphone interface for mobile devices and computer with XLR input; high-quality mic preamp with gain control; high-quality ADDA conversion up to 24 Bit / 96 kHz; adjustable stereo headphone amplifier with switchable direct monitoring; powered with USB and 2x AA batteries; microphone input: XLR balanced, phantom power +48 V +/-4 V, gain range 40 dB, input impedance 2 kOhms, frequency response 20 Hz - 20 kHz +/-1.5dB, input noise: -105 dB(A), -97 dB RMS; headphone output: 3,5 mm stereo jack unbalanced, 100mW into 50 Ohms; package includes: iRig Pre HD microphone interface, lightning to micro-USB cable 0,6 m, USB to micro-USB cable 0,6 m, 2x 1,5V AA battery, software package for download available at manufacturers website/App-Store; size: 40 x 110 x 34 mm; weight: 75 g (batteries excluded)	1	piece	88,00 EUR	88,00 EUR
017.00	126577 AKG W1001, wind protection for C1000S, black	6	piece	7,90 EUR	47,40 EUR

Value of goods: **2.892,00 EUR**

Net amount: 2.410,00 EUR

20,00% Vat.: 482,00 EUR

Total amount: 2.892,00 EUR

Method of payment:

Cash on delivery (UPS) 2.892,00 EUR

Thank you for your purchase!

Please see overleaf for our standard terms and conditions.
Unless otherwise specified the invoice date accounts for the date of payment /delivery.

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Hans Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1EGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDE33HAN30

Es gelten unsere umseitig abgedruckten Allgemeinen Geschäftsbedingungen.